

10/501,447

1-42. (CANCELED)

42. (PREVIOUSLY PRESENTED) A device for raising or cultivating cells in a container-like receptacle (1), the device comprising:

a cylindrical middle part of the device being closed off at a top by an upper lid (3) and a lower lid (12) which forms a base of the receptacle (1),

wherein the upper lid (3) and the lower lid (12) are connected to the middle part in a pressure-tight manner and the upper lid (3) and the lower lid (12) are each provided with at least one inlet bore (8) for one of an introduction and a withdrawal of culture medium and oxygen,

the upper and the lower lids (3, 12) and the middle part are connected to one another by mating internal and external threaded connections (2, 4), and each threaded connection is provided with at least one sealing ring, and

the upper lid (3) and the lower lid (12) each include an extension ring (14) having an extension ring region extending beyond the threaded connections (2, 4) to at least partially enclose the cylindrical middle part and each extension ring region including at least one sealing ring located between the middle part and the extension ring region to additionally seal the middle part.

43-51. (CANCELED)

52. (CURRENTLY AMENDED) A device for raising or cultivating cells in a container-like receptacle [(1)] which comprises:

a base receptacle (1); and

at least an upper lid (3),

wherein the upper lid (3) is connected to the base receptacle (1) in a pressure-tight manner, and the base receptacle (1) or the upper lid (3) is provided with at least one inlet bore (8) for one of the introduction and withdrawal of culture medium and oxygen, and

10/20/08 11:17 PM

- 2 -

10/501,447

at least one resilient lateral tensioning ring (15) encircles both an exterior surface of at least the base receptacle (1) and an exterior surface of the upper lid (3) to retain the upper lid (3) in sealing engagement with the base receptacle (1) when the container-like receptacle ~~[[(1)]]~~ is rotated about a transverse axis.

53. (PREVIOUSLY PRESENTED) The device as claimed in claim 67, wherein the pressurizing means is formed of expandable elements (28).

54. (PREVIOUSLY PRESENTED) The device as claimed in claim 67, wherein the pressurizing means (17) is designed as a cylinder/piston unit.

55. (CANCELED)

56. (CURRENTLY AMENDED) The device as claimed in claim 67, wherein the pressurizing means (17) ~~[[can]]~~ subjects an interior of the base receptacle (1) ~~[[with]]~~ containing the cells (7) to alternating pressure loads.

57-62. (CANCELED)

63. (PREVIOUSLY PRESENTED) A device for raising or cultivating cells in a container-like receptacle (1) which comprises

a base; and

at least one lid,

wherein the at least one lid (3) is connected to the receptacle (1) in a pressure-tight manner, and the receptacle (1) or the at least one lid (3) is provided with at least one inlet bore (8) for one of the introduction and withdrawal of culture medium and oxygen, and

a magnetizable pressure disk (25) is arranged in the receptacle (1) and moved by a magnetizing means (24) in order to exert pressure internally on the cells (7).

64. (PREVIOUSLY PRESENTED) The device as claimed in claim 63, wherein the pressure disk (25) is provided with holes (26).

10/20/08 1:17 PM

- 3 -

10/501,447

65. (PREVIOUSLY PRESENTED) The device as claimed in claim 63, wherein the pressure disk (25) has a grid or mesh structure.

66. (PREVIOUSLY PRESENTED) The device as claimed in claim 63, wherein the cells (7) are arranged on a support structure (27a) which is acted upon by the pressure disk (25) from one or both sides.

67. (CURRENTLY AMENDED) A device for raising or cultivating cells in a container-like receptacle (1) which comprises

a base; and

at least one lid[[.]]; 72

wherein the at least one lid (3) is connected to the receptacle (1) in a pressure-tight manner, and the receptacle (1) or the at least one lid (3) is provided with at least one inlet bore (8) for one of the introduction and withdrawal of culture medium and oxygen,

~~the receptacle (1)~~ a pressurizing means is located within a structure of the receptacle (1) for exerting three dimensional pressure internally on the cells (7). 73

68. (PREVIOUSLY PRESENTED) The device as claimed in claim 67, wherein the pressurizing means includes a movable film, plate or membrane (31) arranged in the receptacle (1).

69-76. (CANCELED).